

Technical Data Sheet

Acetone

Parameter	Test Method	Specification
Appearance	Visual	Pass
Assay, Wt. %, Min	ASTM D329	99.5
APHA Color, Max	ASTM D1209	5
Acidity as Acetic Acid, Wt. %, Max	ASTM D1613	0.002
Alkalinity (as Ammonia), Wt. %, Max	ASTM D1614	0.001
Specific Gravity @ 20/20°C	ASTM D4052	0.7910 to 0.7930
Distillation Range, 1°C, Including 56.1°C	ASTM D1078	1
Permanganate Time	ASTM D1363	30 Minutes
Non-Volatiles Matter mg/100ml, Max	ASTM D1353	5
Aldehydes	ASTM D329	Passes Test
Water, Wt. %, Max	ASTM D1364	0.5
Water Miscibility	ASTM D1722	Passes Test
Odor	ASTM D1296	Non-Residual

CHEMICAL COMPANY

These specifications are typical and represent the quality of our product in general. The information herein is to assist customers in determining whether our product is suitable for their applications. Our product is intended for sale to industrial and commercial customers. We recommend that customers inspect and test our products before use and satisfy themselves as to content and suitability. We warrant that our products will meet our written specification. Nothing herein shall constitute any other warranty expressed or implied, including any warranty of merchantability or fitness, nor is protection from any law or patent to be inferred. Health and safety information, as well as safe handling instructions are available through our Safety Data Sheet for this product. For more information about our products, please call (323)245-2345.

