

Technical Data Sheet

Dipropylene Glycol LO+

<u>Properties</u>	<u>Value</u>
Chemical Name	Oxybispropanol
Formula	C6-H14-O3
Molecular Weight (g/mol)	134.2
CAS Number	25265-71-8
EINECS Number	246-770-3
Distillation Range, 101.3 kPa (1 atm)	228 – 236°C (442 – 457°F)
Vapor Pressure, 25°C (77°F)	0.0021 kPa (0.016 mm Hg)
Freezing Point	Supercools
Pour Point	-39°C (-38.2°F)
Density, 25°C (77°F) 60° (140°F)	1.022 g/cm ³ 0.998 g/cm ³
Refractive Index, 20°C (68°F)	1.439 – 1.442
Viscosity, 25°C (77°F) 60°C (140°F)	75.0 centipoise (mPa.s) 10.9 centipoise (mPa.s)
Specific Heat, 25°C (77°F)	2.18 j/(g°K)(0.52 Btu/lb°F)
Surface Tension, 25°C (77°F)	35 mN/m (dynes/cm)
Flash Point, Pensky-Martens Closed Cup	124°C (255°F)
Thermal Conductivity, 25°C (77°F)	0.1672 W/(m°K) (0.09661 Btu/hr°F)
Electrical Conductivity, 25°C (77°F)	< 6 micro S/m
Heat of Formation	-628 kJ/mol (-150 Kcal/g-mol)
Heat of Vaporization, 25°C (77°F)	45.4 kJ/mol (257 Btu/lb°F)

These specifications are typical and represent the quality of our product in general. The information herein is to assist customers in determining whether our product is suitable for their applications. Our product is intended for sale to industrial and commercial customers. We recommend that customers inspect and test our products before use and satisfy themselves as to content and suitability. We warrant that our products will meet our written specification. Nothing herein shall constitute any other warranty expressed or implied, including any warranty of merchantability or fitness, nor is protection from any law or patent to be inferred. Health and safety information, as well as safe handling instructions are available through our Safety Data Sheet for this product. For more information about our products, please call (323)245-2345.